

#### **SECTION D5000** GENERAL ELECTRICAL REQUIREMENTS

- 1.0 APPLICATION OF THIS CHAPTER
- 2.0 CODES AND STANDARDS
  - 2.1 GENERAL REQUIREMENTS
  - 2.2 WORK SMART STANDARDS (WSS)
  - 2.3 LANL DOCUMENTS
  - 2.4 DOE (SELECTED ORDERS)
  - 2.5 **BUILDING AND ELECTRICAL CODES**
  - 2.6 IEEE (INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS
  - 2.7 ASHRAE (AMERICAN SOCIETY OF HEATING, REFRIGERATION, AND AIR CONDITIONING ENGINEERS)
  - 2.8 IESNA (ILLUMINATING ENGINEERING SOCIETY OF NORTH AMERICA)
  - 2.9 NFPA (NATIONAL FIRE PROTECTION ASSOCIATION)
  - 2.10 NECA (NATIONAL ELECTRICAL CONTRACTORS ASSOCIATION)
  - 2.11 TIA/EIA (TELECOMMUNICATIONS INDUSTRY ASSOCIATION/ELECTRONICS INDUSTRIES ASSOCIATION)

| 3.0  | COORDINATION OF DESIGN REQUIREMENTS      |
|------|--|
| 3.1  | GENERAL                                  |
| 3.2  | SITE UTILITIES                           |
| 3.3  | SPECIAL SYSTEMS                          |
| 4.0  | DESIGN DOCUMENTATION                     |
| 4.1  | CALCULATIONS                             |
| 4.2  | DRAWINGS                                 |
| 4.3  | CONSTRUCTION SPECIFICATIONS              |
| 4.4  | SEALING CONSTRUCTION DOCUMENTS           |
| 5.0  | SYSTEM REQUIREMENTS                      |
| 5.1  | WORKING SPACES                           |
| 5.2  | ENERGY CONSERVATION                      |
| 5.3  | SUSTAINABLE DESIGN                       |
| 5.4  | STANDARDS FOR MATERIAL AND EQUIPMENT     |
| 5.5  | OPERATING ALTITUDE                       |
| 5.6  | LIGHTNING                                |
| 5.7  | POWER SYSTEM RELIABILITY                 |
| 5.8  | POWER SYSTEM HARMONIC LIMITS             |
| 5.9  | ADEQUACY AND FUTURE EXPANSION            |
| 5.10 | FAULT CURRENT CAPACITY                   |
| 5.11 | SELECTIVE COORDINATION                   |
| 5.12 | POWER QUALITY                            |
| 6.0  | EQUIPMENT LOCATION                       |
| 6.1  | GENERAL                                  |
| 6.2  | EQUIPMENT ROOMS AND SPACES               |
| 7.0  | ELECTRICAL IDENTIFICATION                |
| 7.1  | COMPONENT IDENTIFICATION                 |
| 7.2  | ELECTRICAL COMPONENT IDENTIFICATION TAGS |
| 7.3  | EQUIPMENT NAMEPLATES                     |
| 7.4  | VOLTAGE MARKERS                          |
| 7.5  | WARNING SIGNS                            |
| 7.6  | ARC-FLASH WARNING LABELS                 |
| 7.7  | <b>EMERGENCY SYSTEM IDENTIFICATION</b>   |
| 7.8  | OUTLET LABELS                            |
| 7.9  | WIRE MARKERS                             |
| 7.10 | WORKING SPACE MARKERS                    |
| 7.11 | DIAGRAMS AND OPERATING INSTRUCTIONS      |
| 8.0  | ELECTRICAL SUPPORTS AND ANCHORAGE        |
| 9.0  | RODENT - PROOFING                        |
| 10.0 | DEMOLITION                               |

| 11.0 | <b>ACCEPTANCE</b> | <b>TESTING</b> |
|------|-------------------|----------------|
|------|-------------------|----------------|

- 11.1 GENERAL
- 11.2 LARGE PROJECTS
- 11.3 SMALL PROJECTS
- 12.0 SPECIAL REQUIREMENTS FOR NUCLEAR FACILITIES

# SECTION D5010 ELECTRICAL SERVICE & DISTRIBUTION

- 1.0 MEDIUM-VOLTAGE SERVICE & DISTRIBUTION SYSTEMS
  - 1.1 UTILITY DISTRIBUTION SYSTEM CHARACTERISTICS
  - 1.2 UTILIZATION SYSTEM CHARACTERISTICS
  - 1.3 INDOOR MEDIUM-VOLTAGE SWITCHGEAR
  - 1.4 INDOOR MEDIUM-VOLTAGE POWER TRANSFORMERS
  - 1.5 MEDIUM-VOLTAGE POWER CABLE
  - 1.6 RACEWAY SYSTEMS FOR MEDIUM-VOLTAGE CABLES
  - 1.7 MEDIUM-VOLTAGE METERING
- 2.0 LOW-VOLTAGE SERVICE & DISTRIBUTION SYSTEMS
  - 2.1 SYSTEM CHARACTERISTICS
  - 2.2 BUILDING SERVICE POINT LOCATION
  - 2.3 DISCONNECTING MEANS
  - 2.4 METERING
  - 2.5 SURGE PROTECTION
  - 2.6 SWITCHGEAR, SWITCHBOARDS, POWER PANELBOARDS
  - 2.7 LIGHTING & APPLIANCE BRANCH CIRCUIT PANELBOARDS
  - 2.8 LOW-VOLTAGE DRY-TYPE TRANSFORMERS
  - 2.9 GROUNDING
  - 2.10 RACEWAY SYSTEMS
  - 2.11 CONDUCTORS

#### SECTION D5020 LIGHTING & BRANCH CIRCUIT WIRING

- 1.0 RACEWAY AND BOXES
  - 1.1 RACEWAYS
  - 1.2 FLEXIBLE CONDUIT
  - 1.3 Boxes
- 2.0 CONDUCTORS AND CABLES
  - 2.1 WIRING COLOR CODES
  - 2.2 BUILDING WIRE AND CABLE
  - 2.3 REMOTE CONTROL WIRING
  - 2.4 METAL-CLAD CABLE
  - 2.5 FLEXIBLE CORD AND CABLE

|     | What to BE trees   |
|-----|--------------------|
| 3.1 | RECEPTACLE OUTLETS |
| 3.2 | RECEPTACLE PLATES  |

WIRING DEVICES

- 4.0 WIRING CONNECTIONS
- 4.1 General

3.0

- 5.0 MOTORS AND MOTOR CONTROLLERS
  - 5.1 MOTOR CONTROLLERS
  - 5.2 MOTOR CONTROL CENTERS
  - 5.3 ADJUSTABLE FREQUENCY AC CONTROLLERS
  - 5.4 MANUAL STARTERS
  - 5.5 MOTOR DISCONNECTING MEANS
  - 5.6 MOTOR CONNECTIONS
  - 5.7 Motors
- 6.0 GROUNDING
  - 6.1 ENCLOSURE AND EQUIPMENT GROUNDING
  - 6.2 ISOLATED GROUNDING SYSTEM
  - 6.3 SIGNAL REFERENCE GRID
- 6.4 CONTROL OF STATIC ELECTRICITY
- 7.0 Interior Lighting
  - 7.1 DESIGN
  - 7.2 LUMINAIRES AND LAMPS
  - 7.3 LIGHTING CONTROL
- 7.4 INSTALLATION
- 8.0 EXIT AND EMERGENCY LIGHTING
  - 8.1 GENERAL
  - 8.2 EMERGENCY LIGHTING UNIT EQUIPMENT
  - 8.3 LED EMERGENCY EXIT SIGNS
  - 8.4 SELF-LUMINOUS EXIT SIGNS
- 9.0 EXTERIOR BUILDING LIGHTING
  - 9.1 SELECTION
  - 9.2 Control
  - 9.3 INSTALLATION

## SECTION D5030 COMMUNICATIONS & SECURITY

- 1.0 OPEN TELECOMMUNICATIONS SYSTEMS
  - 1.1 DEFINITIONS
  - 1.2 GENERAL
  - 1.3 TELECOMMUNICATIONS ROOMS
  - 1.4 SERVER EQUIPMENT ROOMS
  - 1.5 TELECOMMUNICATIONS GROUNDING

| 1.6  | Work Area Outlets   |
|------|---|
| 1.7  | TELECOMMUNICATIONS HORIZONTAL PATHWAYS                            |
| 1.8  | FURNITURE PATHWAYS  |
| 1.9  | BACKBONE AND ENTRANCE PATHWAYS                                    |
| 1.10 | TELECOMMUNICATIONS CABLES   |
| 2.0  | PROTECTED TRANSMISSION SYSTEMS                                    |
| 2.1  | GENERAL   |
| 2.2  | DEFINITIONS   |
| 2.3  | PTS TOPOLOGY  |
| 2.4  | RED TELECOMMUNICATIONS ROOMS                                      |
| 2.5  | RED SERVER EQUIPMENT ROOM(S)                                      |
| 2.6  | PTS TERMINAL CONNECTIONS  |
| 2.7  | PTS HORIZONTAL PATHWAYS   |
| 2.8  | PTS BACKBONE AND ENTRANCE PATHWAYS                                |
| 2.9  | PTS CABLES  |
| 2.10 | IDENTIFICATION  |
| 3.0  | VOICE PAGING SYSTEMS  |
| 3.1  | GENERAL   |
| 3.2  | DESIGN PARAMETERS   |
| 3.3  | SPEAKER PLACEMENT   |
| 3.4  | SPEAKER WIRING  |
| 3.5  | SPEAKER RACEWAYS AND ENCLOSURES                                   |
| 3.6  | PAGING AMPLIFIERS (FURNISHED BY THE LANL TELECOMMUNICATIONS GROUP |
| 3.7  | ACCEPTANCE TESTING  |
| 4.0  | CATV (LABNET) SYSTEMS   |
| 4.1  | GENERAL   |
| 4.2  | SYSTEM TOPOLOGY   |
| 4.3  | WORK AREA OUTLETS/CONNECTORS                                      |
| 4.4  | TELEVISION SYSTEM RACEWAYS  |
| 4.5  | COAXIAL CABLE (GFE)   |
| 5.0  | SECURITY WARNING LIGHT SYSTEM                                     |
| 5.1  | GENERAL   |
| 5.2  | SYSTEM DESIGN   |
| 6.0  | FIRE ALARM SYSTEM   |
| 6.1  | GENERAL   |
| 6.2  | FUNCTIONAL REQUIREMENTS FOR ADDRESSABLE SYSTEMS                   |
| 6.3  | SYSTEM DESIGN AND DOCUMENTATION                                   |

6.4

6.5

INSTALLATION

ACCEPTANCE TESTING AND INSPECTION

|  | 7.0 | ) ADMINISTRATIVE AC | CCESS C | CONTROL | SYSTEM |
|--|-----|---------------------|---------|---------|--------|
|--|-----|---------------------|---------|---------|--------|

- 7.1 GENERAL
- 7.2 SYSTEM DESIGN
- 8.0 PHYSICAL SECURITY SYSTEM
- 8.1 GENERAL
- 8.2 Conduit
- 8.3 Boxes
- 8.4 CABLES
- 8.5 ELECTRIC DOOR STRIKES
- 8.6 SECURITY SERVICE ENTRANCE
- 8.7 FIELD PANEL INSTALLATION
- 8.8 ROUGH-IN FOR RAPS
- 8.9 ROUGH-IN FOR TURNSTILES
- 8.10 ROUGH-IN FOR MOTION DETECTORS

## SECTION D5090 OTHER ELECTRICAL SYSTEMS

- 1.0 General
- 2.0 ENGINE-GENERATOR SYSTEMS
  - 2.1 GENERAL
  - 2.2 MINIMUM RATING
  - 2.3 ENERGY SOURCE
  - 2.4 Transfer Switch
  - 2.5 STARTING SYSTEM
  - 2.6 REMOTE ANNUNCIATION
  - 2.7 Noise Control
  - 2.8 Seismic
  - 2.9 LOAD BANK
  - 2.10 GENERATOR OUTPUT
  - 2.11 GROUNDING
  - 2.12 ACCEPTANCE TESTING
- 3.0 UPS SYSTEMS
  - 3.1 GENERAL
  - 3.2 UPS SELECTION
  - 3.3 UPS SURVIVABILITY
  - 3.4 UPS CONFIGURATION
  - 3.5 UPS INSTALLATION
  - 3.6 BUILDING AUXILIARY SYSTEMS
  - 3.7 UPS SYSTEM ACCEPTANCE TESTING AND INSPECTION

| 4.0 | STATIONARY | BATTERY | POWER | SYSTEMS |
|-----|------------|---------|-------|---------|
|-----|------------|---------|-------|---------|

- 4.1 GENERAL
- 4.2 BATTERY POWER SYSTEM SURVIVABILITY
- 4.3 BATTERY POWER SYSTEM CONFIGURATION
- 4.4 INSTALLATION
- 4.5 BATTERY SYSTEM ACCEPTANCE TESTING AND INSPECTION
- 5.0 CABLE TRAY SYSTEMS
  - 5.1 CABLE TRAY SELECTION
  - 5.2 CABLE TRAY INSTALLATION
  - 5.3 CABLE TRAY GROUNDING
  - 5.4 CABLE INSTALLATION
- 5.5 CABLE TRAY LABELING
- 6.0 SIGNAL REFERENCE GRID
- 7.0 LIGHTNING PROTECTION SYSTEMS
  - 7.1 Criteria
  - 7.2 GROUNDING SYSTEM
  - 7.3 MATERIALS
  - 7.4 INSTALLATION
  - 7.5 SURGE PROTECTION
  - 7.6 ACCEPTANCE INSPECTION

# SECTION G4010 SITE ELECTRICAL DISTRIBUTION

- 1.0 Introduction
- 1.1 SCOPE
- 1.2 Intent
- 2.0 CODES AND STANDARDS
- 2.1 GENERAL REQUIREMENTS
- 2.2 AMERICAN SOCIETY OF CIVIL ENGINEERS
- 2.3 EDISON ELECTRIC INSTITUTE
- 2.4 FEDERAL REGULATIONS
- 2.5 INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS (IEEE)
- 2.6 INSULATED CABLE ENGINEERS ASSOCIATION
- 2.7 US DEPARTMENT OF AGRICULTURE
- 3.0 GENERAL SYSTEM CHARACTERISTICS
  - 3.1 SYSTEM OPERATING VOLTAGES
  - 3.2 BASIC IMPULSE LEVEL (BIL)
  - 3.3 SYSTEM GROUNDING
- 4.0 DESIGN DOCUMENTATION
  - 4.1 CALCULATIONS
  - 4.2 Drawings

| 5.0  | OVERHEAD LINES   |
|------|--|
| 5.1  | GENERAL  |
| 5.2  | CLEARANCES, GENERAL REQUIREMENTS   |
| 5.3  | CLEARANCE ABOVE GROUND   |
| 5.4  | CLEARANCE BETWEEN WIRES, CONDUCTORS, AND CABLES CARRIED ON DIFFERENT SUPPORTING STRUCTURES |
| 5.5  | CLEARANCE OF WIRE, CONDUCTORS, CABLES, AND ENERGIZED EQUIPMENT FROM OTHER STRUCTURES       |
| 5.6  | GRADES OF CONSTRUCTION   |
| 5.7  | Loading  |
| 5.8  | SLACK SPANS  |
| 5.9  | STRENGTH REQUIREMENTS  |
| 5.10 | POLE EMBEDMENT DEPTH REQUIREMENTS  |
| 5.11 | OVERHEAD SECONDARY LINES (480V AND BELOW) INCLUDING SERVICE DROPS                          |
| 6.0  | Underground Construction   |
| 6.1  | Cable  |
| 6.2  | DUCT BANKS   |
| 6.3  | MANHOLES   |
| 6.4  | RODENT-PROOFING  |
| 6.5  | UNDERGROUND SECONDARY LINES (480V AND BELOW) INCLUDING SERVICE DROPS                       |
| 7.0  | PADMOUNT SWITCHES  |
| 7.1  | DESCRIPTION  |
| 7.2  | APPLICATION  |
| 7.3  | Installation   |
| 7.4  | CLEARANCES   |
| 8.0  | METAL-ENCLOSED SWITCHGEAR  |
| 8.1  | DESCRIPTION  |
| 8.2  | APPLICATION  |
| 9.0  | METAL-CLAD SWITCHGEAR  |
| 9.1  | DESCRIPTION  |
| 9.2  | EQUIPMENT  |
| 9.3  | APPLICATION  |
| 10.0 | MEDIUM-VOLTAGE TRANSFORMERS  |
| 10.1 | GENERAL  |
| 10.2 | TRANSFORMER SELECTION  |
| 10.3 | TRANSFORMER CAPACITY   |
| 10.4 | TRANSFORMER LOCATION   |
| 10.5 | OVERCURRENT PROTECTION   |

| 1 | 1.0 | LINIT | SUBSTA | TIONS |
|---|-----|-------|--------|-------|
|   |     |       |        |       |

- 11.1 DESCRIPTION
- 11.2 EQUIPMENT
- 11.3 APPLICATION
- 12.0 Fusing
  - 12.1 GENERAL
- 13.0 LIGHTNING PROTECTION
  - 13.1 OVERHEAD TRANSMISSION LINES
  - 13.2 OVERHEAD DISTRIBUTION LINES
  - 13.3 CABLE RISERS AND POLE-MOUNTED EQUIPMENT
  - 13.4 PADMOUNT EQUIPMENT
- 14.0 PRIMARY METERING
  - 14.1 APPLICABILITY
  - 14.2 METERING EQUIPMENT
- 15.0 GROUNDING
  - 15.1 OVERHEAD LINES
  - 15.2 Underground Lines
  - 15.3 SERVICES
- 16.0 RIGHTS-OF-WAY
  - 16.1 OVERHEAD 13.2KV DISTRIBUTION
  - 16.2 OVERHEAD 115KV TRANSMISSION
  - 16.3 UNDERGROUND 13.2KV DISTRIBUTION
  - 16.4 SEPARATION FROM OTHER UNDERGROUND UTILITIES
- 17.0 Joint Use
  - 17.1 APPLICATION
  - 17.2 JOINT USE AGREEMENT
  - 17.3 Considerations
- 18.0 ENVIRONMENTAL PROTECTION
  - 18.1 EPA REGULATIONS AND SPCCS
  - 18.2 SCOPE OF AN SPCC PLAN
  - 18.3 FACILITIES AFFECTED BY EPA REGULATIONS
  - 18.4 OIL CONTAINMENT
- 19.0 WILDLIFE PROTECTION
  - 19.1 MITIGATION TECHNIQUES

## SECTION G4020 SITE LIGHTING

- 1.0 Criteria
  - 1.1 GENERAL
  - 1.2 EXTERIOR LIGHTING
  - 1.3 ROADWAY LIGHTING

| 1.4 | PEDESTRIAN ' | WALKWAY | LIGHTING |
|-----|--------------|---------|----------|
|     |              |         |          |

- 1.5 PARKING FACILITY LIGHTING
- 1.6 SECURITY LIGHTING
- 1.7 CALCULATIONS
- 2.0 Luminaries
  - 2.1 General
  - 2.2 SITE LUMINARIES SCHEDULES
- 3.0 POLES
- 4.0 WIRING AND CONDUIT
  - 4.1 CONDUIT
- 4.2 Wiring
- 4.3 GROUNDING
- 5.0 SITE LIGHTING CONTROLS

#### SECTION G4030 SITE COMMUNICATIONS & SECURITY

- 1.0 OPEN TELECOMMUNICATIONS SYSTEMS
  - 1.1 DEFINITIONS
  - 1.2 GENERAL PLANNING AND DESIGN CONSIDERATIONS
  - 1.3 UNDERGROUND PATHWAYS
  - 1.4 AERIAL PLANT
  - 1.5 TELECOMMUNICATIONS CABLES
- 2.0 SITE PROTECTED TRANSMISSION SYSTEMS
  - 2.1 GENERAL
  - 2.2 Definitions
  - 2.3 PTS ENTRANCE PATHWAYS
  - 2.4 IDENTIFICATION
- 3.0 PHYSICAL SECURITY SYSTEM
  - 3.1 SECURITY SERVICE ENTRANCE
  - 3.2 SITE SECURITY SYSTEMS

# SECTION G4090 OTHER SITE ELECTRICAL UTILITIES

- 1.0 CATHODIC PROTECTION
  - 1.1 GENERAL
  - 1.2 CP DESIGNER QUALIFICATIONS AND RESPONSIBILITIES
  - 1.3 CP DESIGN
- 2.0 SITE GROUNDING
  - 2.1 General
  - 2.2 GROUNDING ELECTRODE SYSTEM
  - 2.3 ENCLOSURE AND EQUIPMENT GROUNDING
  - 2.4 DUCT BANK GROUNDING
  - 2.5 FENCE GROUNDING